

ZKT_{eco}
**PRODUCT
CATALOGUE**

TABLE OF CONTENTS

Access Control & Time and Attendance	02
Access Control Slave Readers	05
Accessories	06
Rainshields & Standoff Boxes	08
Intelligent Face Locker Solution	11
Green Label	11
IP Video Intercom	13
UHF	13
License Plate Recognition	14
Biometrics	15
Metal Detectors	15
X-Ray Machines	17
Turnstiles	18
Entrance Control	20
Smart Locks	20
Hotel Locks	21
ZKBioHLMS Software	22
ZKBio CVSecurity	23
ZKBio Time	24
Octopi Financial Solutions	27

ZKT_{ECO}

SPEEDFACE V3L LITE

Standalone Access Control Terminal



Elevate your security.
Upgrade your Access Control Today



Facial
Authentication



RFID



IP65 Dust &
Waterproof



HD Video
Door Phone

 **ZKBio** CVSecurity

 **BioTime**

ACCESS CONTROL & TIME & ATTENDANCE



F35

Standalone Access Control and Time & Attendance Device

- Fingerprint capacity: 10 000
- Card capacity: 10 000
- WiFi Communication
- Linux Operating System
- IP65 Rated
- Video Intercom Functionality



SC800

Standalone Access Control Device

- Card capacity: 50 000
- WiFi Communication
- Linux Operating System
- IP65 Rated

Special Order Only



SpeedFace V4L Pro

Standalone Access Control Device

- Face capacity: 3000
- Fingerprint capacity: 3000
- Card capacity: 3000
- WiFi Communication
- Linux Operating System



ProMA

Standalone Access Control Device


- Face capacity: 30 000
- Fingerprint capacity: 10 000
- Card capacity: 50 000
- Linux Operating System
- IP66 Rated



SpeedFace V3L Lite

Standalone Access Control Device

- Face capacity: 500
- Card capacity: 3000
- Linux Operating System
- IP65 Rated
- Video Intercom Functionality



SpeedFace Mini

Standalone Access Control Device

- Face capacity: 800
- Palm Capacity: 800
- Card capacity: 1000
- Linux Operating System

ACCESS CONTROL & TIME & ATTENDANCE



SpeedFace RFID

Standalone Access Control Device

- Face capacity: 6000
- Palm capacity: 3000
- Card capacity: 10 000
- Linux Operating System



SpeedFace M4

Standalone Access Control Device

- Face capacity: 6000
- Palm capacity: 3000
- Card capacity: 10 000
- IP65 Rated
- Linux Operating System



SpeedFace V5L

Standalone Access Control Device

- Face capacity: 6000
- Palm capacity: 3000
- Fingerprint capacity: 6000
- Card capacity: 10 000
- Linux Operating System



ProFace XP

Standalone Access Control Device

- Face capacity: 30 000
- Palm capacity: 5000
- Card capacity: 50 000
- Linux Operating System
- IP68 Rated
- Linux Operating System



FaceDepot 7B

Standalone Access Control Device

- Face capacity: 10 000
- 0.3 – 3 m Recognition Distance
- Locker Management Solution



Horus H1

Handheld Android Facial Recognition Time & Attendance Terminal

- Horus H1-B (with barcode scanner)
- Horus H1-FP (with fingerprint)
- Horus H1-FPB (with fingerprint and barcode scanner)



SC800 ACCESS CONTROL

MULTI-TECH CARD ACCESS CONTROL TERMINAL



RFID
Verification



TCP/IP



Wifi



IP65




IK04

 **ZKBio** CVSecurity



ACCESS CONTROL SLAVE READERS



KF1200

Visible Light Facial Slave Reader



QR600HK-E

IP65 QR Wiegand & RS485 Slave reader with Keypad



F12

IP65 Fingerprint Slave Reader



FR1500

IP65 Fingerprint Slave Reader



KR101E

125kHz EM Slave Wiegand Card Reader



KR310

Dual Frequency RFID and Mifare Slave Wiegand Card Reader



KR600E

125kHz EM Slave Wiegand Card Reader



KR602E

125kHz EM Slave Wiegand Card Reader

Limited Local Stock Available

ACCESSORIES

		
<p>X00102002 13.56Mhz Mifare1K Card (S50) Guest Cards</p>	<p>CR80 Plain PVC Card CR80 (F08) 4K Mifare</p>	<p>X00101002</p> <ul style="list-style-type: none"> • Thin 125kHz Proximity Card • Read only - with code
		
<p>InBio Metal Case Metal Case and Power Supply for inBio Series Control Panel.</p>	<p>X00101005</p> <ul style="list-style-type: none"> • 125kHz Proximity Tag • Read only - with code • BLUE 	<p>S50</p> <ul style="list-style-type: none"> • 13.56MHz 1K Mifare Proximity Tag • Read/Write - with code • Grey colour <p>Limited Local Stock Available</p>
		
<p>S70</p> <ul style="list-style-type: none"> • 13.56MHz 4K Mifare Proximity Tag • Read/Write - with code • Grey colour <p>Limited Local Stock Available</p>	<p>CR20M Read 13.56MHz mifare card number, USB interface</p> <p>Limited Local Stock Available</p>	<p>CR20E Read 125K proximity card number, USB interface</p>
		
<p>TLEB101</p> <ul style="list-style-type: none"> • TLEB101 No Touch Exit Sensor • 115mm x 70mm 	<p>DC6085 Door Closer Medium Duty</p>	<p>LMB-280ZL LMB280L + LMB280Z</p>

ACCESSORIES



LM-2805

- Lock dimensions: 250L x 47W x 25.5H mm
- Armature plate dimensions: 180L x 38W x 11H mm
- Holding Force: 280Kg
- With LED light



BA13

BATT – 12V 7AH Securi-Prod SLA
F1 4.8mm Terminal



12VMiniUPS



FR02-1

Green Call Point – Resettable



12V3APower

12V 3A Switchmode Power
Supply



P1205-B2

- Power Supply with Battery Leads
- Input: 220V AC, 50Hz (110V optional)
- Output: 12V DC, 5A
- 12V 7Ah battery not included



P1203-B2

- Power Supply with Battery Leads
- Input: 220V AC, 50Hz (110V optional)
- Output: 12V DC, 3A
- 12V 7Ah battery not included



TLEB102

No Touch Exit Sensor
86mm x 86mm

RAINSHIELDS & STANDOFF BOXES




SpeedFace V5 Standoff Box



ProFace X Standoff Box
Limited Local Stock Available



ProFace X Rainshield
Limited Local Stock Available



ProFace X Indoor Stand
Limited Local Stock Available



ProFace X Adjustable Outdoor Stand
Mild Steel Powder Coated
Limited Local Stock Available



ProFace X Adjustable Outdoor Stand
Stainless Steel
Limited Local Stock Available



F12 Standoff Box



F12 Rainshield



FR1500 Standoff Box

RAINSHIELDS & STANDOFF BOXES



FR1500 Rainshield



**ProCapture-WP Standoff
Box**



ProCapture-WP Rainshield



ProMA Standoff Box



ProMA Rainshield




SpeedFace-M4 Rainshield

ZKT_{ECO}

LOCKERPAD-G4 PRO

Reliable and Secure Solution for your Storage



Facial
Authentication



Traceable
Storage &
Pick-up Records



Dynamic
QR Code
Verification




Versatile
Usage
Settings



Digital
Advertisement
Placement

INTELLIGENT FACE LOCKER SOLUTION



LockerPad-7B

Enhanced Visible Light Facial Recognition with built-in Deep Learning

- 7-inch touch LCD
- Supports max 8 lock control boards and max 96 lockers
- Dual-camera for real-time face detection
- Recognition distance: 0.3-3m




LockerPad-G4 Pro

4G Multi-Biometric LockerPad Terminal

- 7-inch TFT LCD Touch Screen
- Support Puch SDK, Android LCDP
- OS: Android 9.0
- Suggested Software: ZKBio CVSecurity (ACC)
- Dual-frequency (125kHz and 13.56MHz) card module (standard)
- Multiple verification modes: Face, Card, Password, QR Code
- Communication: Wifi & TCP/IP


Special Order Only



Lock Control Board

- One board can control 12 lockers
- 12V DC
- Communication: RS485

GREEN LABEL



ProCapture-WP

Fingerprint Access Control Terminal

- Fingerprints: 20 000
- Cards: 10 000
- Transaction: 100 000
- Authentication: FP/RFID
- IP65 Rated
- Communication: TCP/IP RS485 & USB Host
- Software: BioSecurity



InBio160 Pro Plus

Door Controller - One Door

- Fingerprints: 20 000
- Cards: 30 000
- Transactions: 100 000
- Authentication: FP/PIN/RFID
- Communication: TCP/IP RS485 & SD
- Software: ZKBio CVSecurity



InBio260 Pro Plus

Door Controller - Two Doors

- Fingerprints: 20 000
- Cards: 30 000
- Transactions: 100 000
- Authentication: FP/PIN/RFID
- Communication: TCP/IP RS485 & SD
- Software: ZKBio CVSecurity


GREEN LABEL



InBio460 Pro Plus

Door Controller – Four Doors

- Fingerprints: 20 000
- Cards: 30 000
- Transactions: 100 000
- Authentication: FP/PIN/RFID
- Communication: TCP/IP
RS485 & SD
- Software: ZKBio CVSecurity



EC16

Elevator Controller



DEX16

Elevator Expansion Board



RS100

Document Scanner



UV-200

PC Webcam USB 2.0



ProID 10

125kHz EM Slave Wiegand Card Reader



ProID 20

125kHz EM Slave Wiegand Card Reader



ProID 30

125kHz EM Slave Wiegand Card Reader

IP VIDEO INTERCOM



VT07-B01

Indoor Monitor Linux System

- Display screen: 7" LCD HD touch screen
- Resolution: 1024*768
- Video Display: Support 4 split screen/full screen
- TF card: Support up to 128G micro TF card
- Network Interface: RJ45 Network Port



VEX-B21A

IP Building Video Intercom Outdoor Console

- System: Android
- Visible light Facial recognition
- Anti-spoofing algorithm against photos and videos
- Access control methods: Facial recognition, Mifare card
- POE

Limited Local Stock Available



VT07-B22L

IP Building Video Intercom Indoor Monitor

- System: Linux
- Support external 8-way IP cameras
- Standard SIP 2.0
- POE

Limited Local Stock Available

UHF



U1000E

6 Meter UHF Integrated Terminal

- Cards: 5000
- Antenna Gain: 8dBi
- Authentication: UHF
- Frequency: 902-926 MHz
- IP66 Rated
- Communication: TCP/IP
- Software: ZKAccess 3.5



UHF5E-Pro

Long Distance RFID UHF Reader with LED





- Reading distance: 0-8 m (Hand-held)
- Reading distance: 0-5 m (Non-contact vehicle management)
- Communication: Wiegand 26/34, USB, RS485 (optional)
- Frequency band (865MHz-868MHz)



UR20RW-E

USB UHF Card Issue

UHF

		
<p>UHF1-Tag3 UHF Numberplate Tag</p>	<p>Higgs 3 WS Label (Higgs 3) by Alien</p>	<p>Higgs 3 Tamperproof WS Label Tamperproof (Higgs 3) by Alien</p>
		
<p>ZK UHF Tag UHF Tag Sticker by ZKTeco</p>		

LICENSE PLATE RECOGNITION


<p>BL-852Q38A-LP Motorized Lens (3.6-11mm) Bullet Camera</p> <ul style="list-style-type: none"> • IR Range 50m • IP67 Rated • 98% or bigger reliability rating on LPR • LPR from vehicles in movement (up to 20 km/h) or stopped (Stop & Go) • 92 Countries Supported

BIOMETRICS



SLK20R

Desktop USB Fingerprint
Enrollment Device PIV Certified



ZK9500

Desktop USB Fingerprint
Enrollment Device

METAL DETECTOR




ZK-D160

Handheld Metal Detector



ZK-D1065

6 Zone Walk-Through Metal
Detector



ZK-AMD1800 Pro

18 Zone Walk-Through Metal
Detector with IP65 Outdoor
Rating



ZK-D2180

18 Zone Walk-Through Metal
Detector with TCP/IP
Communication




ZK-D4330

33 Zone Walk-Through Metal
Detector

ZKT_{ECO}

COMET SERIES

SECURITY WITH STYLE



Innovative Multi-Credential Speed Gate




SPECIAL ORDER ONLY


X-RAY MACHINE

	
<p>ZKX5030A</p> <ul style="list-style-type: none"> • X-Ray Inspection System • 507mm x 305mm Tunnel Size • 8mm Steel Board Penetration 	<p>ZKX6550A</p> <ul style="list-style-type: none"> • X-Ray Inspection System • 655mm x 505mm Tunnel Size • 10mm Steel Board Penetration



DROP ARM TRIPOD TURNSTILE

	TS1000 Pro	Standard Tripod Turnstile with no readers (contain Driver control board, power supply)
	TS1011 Pro	Tripod Turnstile with 2x KR310 RFID/MIFARE readers and InBio260 Pro.
	TS1022 Pro	Tripod Turnstile with 2x KR600 RFID readers and C3-200 controller
	TS1022 Pro	Tripod Turnstile with 2x F12 Fingerprint and card readers and InBio260 controller
	TS1022 Pro	Tripod Turnstile with 2x F12 Fingerprint and card readers and InBio260 Pro controller

DROP ARM TRIPOD TURNSTILE

	TS2000 Pro	Standard Bridge Type Tripod Turnstile with no readers (contain Driver control board, power supply)
	TS2011 Pro	Bridge Type Tripod Turnstile with 2x KR310 RFID/MIFARE card readers and C3-200 controller
	TS2022 Pro	Bridge Type Tripod Turnstile with 2x KR600 RFID card readers and C3-200 controller
	TS2022 Pro	Bridge Type Tripod Turnstile with 2x F12 Fingerprint and card readers and InBio260 controller
	TS2022 Pro	Bridge Type Tripod Turnstile with 2x F12 Fingerprint and card readers and InBio260 Pro controller

FULL HEIGHT TURNSTILE

	
FHTSA2400 Standard Four Arm Full Height Turnstile <ul style="list-style-type: none"> • Four arms (90 °), Mild steel, Powder coated Grey , • Single lane • Contain Driver control board, power supply 	FHDT2400 Standard Four Arm Full Height Double Turnstile <ul style="list-style-type: none"> • Four arms (90 °), Mild steel, Powder coated Grey , • Dual lane • Contain Driver control board, power supply

ZKT_{ECO}


BG 1000 SERIES

PARKING BARRIER





**MORE INTELLIGENT,
FUNCTIONAL, AND
STABLE**




Integrate with
VR10 Pro
Vehicle Radar
Detection



ENTRANCE CONTROL

	BG1045L	4 Meter Boom Barrier Chassis on left, boom on right
	BG1045R	4 Meter Boom Barrier Chassis on right, boom on left
	VR10 Pro Radar Vehicle detection <ul style="list-style-type: none"> • Support APP control • Smart anti-smash and automatic closing for barrier gate • Detect distance: 0~6m • communication: Bluetooth, RS485 • Relay working frequency: 79GHz 	

SMART LOCKS

		
ML100 Standalone Fingerprint Wifi Lock	SL01C1-20H Smart Standalone Cylinder Lock Keypad + RFID Bluetooth Standard and Wifi through Hub	SL01C1-21H Smart Standalone Cylinder Lock Fingerprint + RFID Bluetooth Standard and Wifi through Hub

SMART LOCKS



AL20B-Z1

Standalone Fingerprint Lock + Bluetooth

Limited Local Stock Available



TL-400B

Standalone Fingerprint Lock + Bluetooth

Limited Local Stock Available

HOTEL LOCKS



LH3000

Hotel Lock with 13.56MHz Card Reader



LH4000

Hotel Lock with 13.56MHz Mifare Card Reader



CR60W

Card Encoder For Hotel Locks
13.56MHz USB Writer



X00102002

13.56MHz Mifare Card (S50)
Guest Cards



Energy Saving Switch (Mifare card only)

SMART HOTEL LOCK




ZL500

Hotel Lock with 13.56MHz Mifare Card Reader and ZIGBEE communication and APP



SLG410

ZIGBEE Gateway
1 Gateway connects 10 locks



D147-H

13.56MHz Mifare Card Encoder



Energy Saving Switch (Mifare cards only)


ZKBIOHLMS SOFTWARE

An App-Free Wireless Smart Hotel Platform

Without the need to download or register for an app, hotel guests could check-in and request room services through an HTML5 user interface by clicking on a hyperlink provided in an SMS or email automatically sent from ZKTeco's cloud server before their stay.


The authorization to unlock the smart hotel door lock, access control, and the rights to take the elevator integrate with the hotel module. It realizes real-time remote control, remote monitoring, and remote record checks regarding deployed hotel locks with ZigBee communication.

Users could check-in/out and open door locks with only their smartphones once they obtained authorization from the hotel. Still, both hotel staff and guests could enjoy the "One-Card-Solution" in hotels if they prefer using key cards instead. The card will be a gateway to everything the hotel lets its clients experience.



ZKBioHLMS

ZKBio CVSecurity



ZKBio CVSecurity is a web-based security platform that combines biometric and computer vision technologies. It includes various modules.



Access Control



Visitor



Elevator



Video Management




Locker Management



Video Intercom



Intelligent Scene



ZKBio Time provides unified management to customers in terms of time management and operational safety. It helps the customers to continuously improve safety management by affording a simple and efficient platform that can manage all the time and security-related aspects at a single instance.



**Personnel
Module**



**Device
Module**



**Attendance
Module**



**Access
Control**



**Payroll
Module**



**MTD
Module**



**System
Module**



**Meeting
Module**



**Visitor
Module**



ZKTECO SUPPORT

For comprehensive support and step-by-step guides on ZKTeco products, visit the ZKTeco Support YouTube Channel. Here, you'll find helpful video tutorials, troubleshooting tips, and expert advice to get the most out of your ZKTeco devices. Whether you're setting up a new system or need assistance with existing equipment, our channel offers easy-to-follow instructions to ensure seamless operation. Subscribe today to stay updated with the latest support content!

EXPLORE ZKTECO SUPPORT CHANNEL



011 237 9890



info@taropa.co.za



PROJECT MANAGEMENT

APPETITE FOR LARGE PROJECTS AND FULL SUPPORT CAPABILITIES

ZKTeco South Africa has built a strong reputation for its ability to manage and deliver large-scale security projects, ranging from corporate headquarters to industrial facilities and government institutions. They offer comprehensive project design and specification support, ensuring that clients receive tailored solutions to meet their unique security needs. From initial consultation to final implementation, ZKTeco works closely with its partners to deliver future-proofed and scalable solutions that integrate seamlessly into existing infrastructures.

Their dedicated team is experienced in handling complex installations and provides full technical and after-sales support, ensuring that even the most challenging projects are executed to perfection. This commitment to excellence has solidified ZKTeco South Africa's position as a trusted partner for major enterprises and government projects across the country.

EXPLORE ZKTECO SUPPORT CHANNEL



011 237 9890



info@taropa.co.za

FLEXIBLE ASSET-BASED FINANCE SOLUTIONS

to help your business grow and improve cash flow

Our end-to-end finance solutions are made possible through long-standing relationships with banks, financial institutions, suppliers and insurance organizations. We partner with you in providing tailor-made solutions to your business needs, coupled with sound advice and quality service.

WHAT WE OFFER



Rental Finance



System Efficiency



Soft Loan



Sale & Leaseback



Progress Payments



Flexible Payment Options



Split Payments



Competitive Rates



Online Application

Our team assist you in completing the easy, online paperless application.



Dealer Base Monitoring

The application comes with no obligation.



Digital Signage

There is a quick turnaround to provide feedback on the application.

The subsidiary companies in the Octopi Group offer a range of products of which financing is available



Security



Access Control



Business Software Solutions



IT/Hardware



Data Management Solutions



Connectivity



Solar, Batteries, inverters



Generators



Evergreen Solutions



Printing Office Automation



Telecoms




PABX

For more information contact us on +27 10 065 0970 or enquiries@octopigroup.co.za




GET IN TOUCH

Gerhard Lubbe

 +27 61 052 5191

Stefan Kruger

 +27 66 265 6985